



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23L 1/0532, 1/0526, A23P 1/16, A23G 9/02, A23D 7/015	A1	(11) International Publication Number: WO 98/34499 (43) International Publication Date: 13 August 1998 (13.08.98)
(21) International Application Number: PCT/EP98/00560 (22) International Filing Date: 3 February 1998 (03.02.98) (30) Priority Data: 97200320.6 5 February 1997 (05.02.97) EP (34) Countries for which the regional or international application was filed: NL et al. (71) Applicant (for all designated States except US): QUEST INTERNATIONAL B.V. [NL/NL]; Huizerstraatweg 28, NL-1411 GP Naarden (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): BOURKE, Neil [IE/NL]; Overgouw 19, NL-1351 KB Almerehaven (NL). (74) Agents: HUMPHRIES, Martyn et al.; ICI Group Intellectual Property, P.O. Box 90, Wilton, Middlesbrough, Cleveland TS90 8JE (GB).		(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: FOODS CONTAINING A GELLING AGENT MIXTURE (57) Abstract <p>The invention concerns a process for preparing food products comprising a gelled aqueous phase, which process comprises the steps of: (i) mixing at least part of the ingredients, including the water phase with a gelling agent mixture comprising agar, guar gum and locust bean gum at a temperature above 40 °C, (ii) shearing the mixture at a temperature below 40 °C. Preferably the food product also comprises a lipid phase. The gelling agent mixture preferably comprises 90-10 % by weight of agar, 5-80 % by weight of guar gum and 5-80 % by weight of locust bean gum. The process is particularly suitable for replacing gelatin in low fat spreads, mousses and ice cream.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Foods containing a gelling agent mixture.

The invention concerns foods containing a water phase which is structured with a gelling agent mixture comprising agar and certain galactomannan gums.

Food products consist of a complicated mixture of solid and liquid components including, in most cases, a water phase. For many food products structuring of the water phase is essential to give the food the desired properties i.e. an appealing appearance, the right mouthfeel on consumption, the desired flavour and taste and other properties expected by the consumer. Structuring of the water phase is often accomplished with gelling agents such as gelatin, agar, carrageenan etc. Each gelling agent has its own gelling properties and produces gels with specific characteristics which make them useful for particular types of foods. Thus, gelatin gels rather slowly on cooling and the gels are elastic, give little or no syneresis and retain appreciable gel strength after shear being applied to the gel.

Because of these properties gelatin is the preferred gelling agent for food products for which the production process comprises the following two steps:

- 15 i mixing of at least part of the ingredients, including the water phase, with the gelling agent at a temperature above the temperature at which the mixture gells,
- ii thereafter: mechanical treatment which involves the application of shear to the gel at a temperature below the temperature at which the mixture gells.

Examples of such food products are: low-fat spreads (i.e. spreads containing less than 60% fat), mousse-type foods and ice cream.

CONFIRMATION COPY

Due to the particular properties of gelatin it is possible to obtain stable gels with little or no syneresis and which retain substantial gel strength, also after the application of shear. Such shearing may be an unintentional, but inescapable consequence of the mechanical treatment of the food product, such as may take place in equipment for packaging the food product in 5 containers, or in mixers for mixing in additional ingredients. On the other hand shearing may be applied purposely to give the food product the desired structure. The latter holds e.g. for low-fat spreads and ice cream.

However, gelatin has the disadvantage that it is of animal origin and therefore unfit for vegetarian diets and, depending on whether it is of bovine or porcine origin, its consumption 10 may also violate certain religious food rules. Therefore there is a need for an alternative gelling agent which should preferably be of vegetable origin.

Many different gelling hydrocolloids and hydrocolloid mixtures have been described for use in spreads, particularly low-fat spreads.

Thus, GB 1,450,269 discloses low-fat spreads in which the aqueous phase contains a mixture 15 of pectin and either carrageenan, agar, guar gum, locust bean gum, etc, particularly a mixture of pectin and carrageenan.

GB 1,564,800 discloses low-fat spreads in which gelatin or Danish carrageenan is used as the gelling agent. Since the aqueous phase also contains protein, a deflocculation agent is also added if the aqueous phase is acidic. As deflocculation agents may be used xanthan gum, 20 locust bean gum, guar gum, or sodium carboxymethyl cellulose. In fact, gelatin is the only gelling agent exemplified. One of the examples mentions the use of xanthan gum as a deflocculation agent.

EP-B-0 011 344 discloses water-in-oil type emulsions for use as low-fat spreads containing as the gelling agent a mixture of locust bean gum and xanthan gum and/or carrageenan. 25 Sometimes an additional amount of gelatin is added as well.

EP-B-0 052 899 discloses similar low-fat spreads containing as the gelling agent a mixture of on the one hand maltodextrin or pectin or lambda carrageenan or alginate and on the other hand guar gum or locust bean gum or iota carrageenan. Preferred are pectin or maltodextrin and guar gum.

EP-A-0 430 329 discloses very-low-fat spreads. As the gelling agent the examples only disclose gelatin and carrageenan.

In EP-A-0 380 170 it is disclosed to prepare low-fat spreads using as the gelling agent a mixture of gelatin or agar (0.1-5% w/w) with solubilized starch (0.1-5% w/w). Particularly these 5 spreads contain 2% gelatin or agar and 2% of solubilized starch.

Agar, unlike gelatine, gels rapidly to relatively brittle gels, which show appreciable syneresis and little gel recovery after the application of shear. In spite of what is disclosed in EP-A-0 380 170, agar is therefore not very suitable for replacing gelatin in foods products which during production undergo the two process steps mentioned above.

10 It has been described in EP-A-0 570 252 that gel strength and syneresis of agar can be reduced through cutting the agar molecules by acid treatment. From S.M. Fiszman et al, Rev. Agroquim. Tecnol Aliment. 27(4), 1987 519-29 it is known that the addition of locust bean gum in proportions of 25-75% increases the rupture strength and decreases the deformability modulus of agar gels. From S. Baidon et al, Rev. Agroquim. Tecnol Aliment. 27(4), 1987 15 545-55 it is known that the addition of locust bean gum in proportions of 25-75% or a 1:1 mixture of locust bean and guar gum in a proportion of 50% decreases syneresis of agar gels.

E.R. Morris, "Mixed Polymer Gels", in: "Food Gels", Ed. P. Harris, 1990, pag. 291-359 describes synergism between galactomannans such as locust bean gum and the well known marine hydrocolloids such as agar and carrageenan. A theoretical outline of the effects of the 20 interaction is given which, however, does not lead to clear guidelines as to the effects to be obtained in practice. Both guar gum as well as locust bean gum separately appear to increase gel strength of agar gels and reduce syneresis (page 342-43) and give a less brittle gel.

L.G. Enriquez and G.J. Flick, "Marine Colloids", in: "Developments in Food Science 19, Food Emulsifiers", Ed. G. Charalambous and G. Doxastakis, pag.248, describe that agar has been 25 used in combination with tragacanth and locust bean gum to improve the smoothness and consistency of ice cream and sherbets, and also state that the use of other hydrocolloids such as locust bean gum and gelatin in combination with agar is desirable to stabilize and improve the shelf life of sherbets.

Guar gum and locust bean gum are thickening agents. Thus, they can be used to obtain very viscous aqueous solutions. However, they do not produce gels, i.e. they do not produce an aqueous system which does not flow without the application of pressure.

Although in the prior art reduction of syneresis and brittleness of agar gels have been attributed to the addition of galactomannan gums, particularly locust bean gum, none of these references give any indication about the influence of either locust bean gum or guar gum on the gelling speed or gel recovery after the application of shear. Furthermore, although in the prior art the mechanical properties of pure aqueous gels consisting of mixtures of agar, locust bean gum and guar gum have been tested, real food products comprising such mixtures as the gelling agent appear to be unknown and their properties cannot be predicted from the theoretical considerations published.

It has now been found that mixtures of agar, guar gum and locust bean gum are very suitable gelling agents for food products comprising a water phase, particularly for food products for which the production process comprises the following two steps:

- 15 i mixing of at least part of the ingredients, including the water phase, with the gelling agent at a temperature above the minimum mixing temperature as hereinafter defined,
- ii thereafter: mechanical treatment which involves shearing of the gel at a temperature below the maximum shearing temperature as hereinafter defined.

In such food products these gelling agent mixtures are able to replace gelatin, while maintaining the properties of slow gelling, low syneresis and gel recovery after the application of shear.

The invention therefore provides a process for preparing food products comprising a gelled aqueous phase, which process comprises the steps of:

- i mixing at least part of the ingredients, including the water phase with a gelling agent mixture comprising agar, guar gum and locust bean gum above the minimum mixing temperature,
- 25 ii shearing the mixture below the maximum shearing temperature.

The mixing in step i is generally done at a temperature at which the aqueous phase is still a non-gelled liquid. The precise temperature at which the aqueous phase will start to gel is dependent to some extent on the properties and the amount of agar in the aqueous phase and

on the other components in the aqueous phase. Generally the minimum mixing temperature is 40°C, preferably it is 45°C.

Shearing is generally applied when gelling has at least started. The temperature at which the aqueous phase starts to gel to a measurable extent depends on the factors outlined above.

5 Thus, the maximum shearing temperature is generally 40°C, preferably it is 35°C.

The invention is particularly suitable for food products which also comprise a lipid phase and thus the process according to the invention preferably also comprises the step of mixing the aqueous phase including the agar, guar gum and locust bean gum with a lipid phase.

Thus, the invention furthermore provides food products comprising a lipid phase and an
10 aqueous phase which is gelled with a gelling agent mixture comprising agar, guar gum and locust bean gum. In such food products the use of gelatin as a gelling agent is superfluous. The lipid phase in such food products should comprise at least 0.1%, preferably at least 0.5% by weight of the food product. Generally, the lipid phase will not comprise more than 80% by weight of the food product, preferably not more than 60%. The lipid phase will generally
15 comprise fats and/or fatty oils, but it may also comprise, or even consist entirely of, mono-and/or diglyceride emulsifiers.

If the lipid phase is mixed with the aqueous phase above the maximum shearing temperature, it may coincide with step i or, alternatively, it may be done after step i has produced a homogeneous aqueous phase.

20 If, on the other hand, the lipid phase is mixed with the aqueous phase below the maximum shearing temperature, this mixing may provide the shearing required in step ii and thus, step ii and the mixing of lipid and aqueous phase may partly or completely coincide. Which procedure is generally used or preferred, is determined by the type of food product and/or the type of equipment available. Often, additional steps involving shear are applied after mixing of lipid
25 and aqueous phases. Such shear may be applied e.g. by the equipment used for filling the packaging or containers for the food product. However, for many products mixing or other processing steps involving the application of shear are necessary to give the product the required structure. Examples are: cooling under shear as used in the production of spreads, freezing under shear as used in the production of ice cream, or mixing in sufficient air to obtain
30 a mousse type product, either of the sweet (dessert) type or of the savoury type such as fish mousses.

The agar used in the gelling agent mixture for the process according to the invention may be derived from the conventional seaweeds used for the production of agar and may be obtained according to well known procedures. Seaweed sources, such as Gelidium and Gracilaria species, and production process are described e.g. by L.G. Enriquez and G.J. Flick in Marine Colloids (vide supra). Particularly suitable are agars which have undergone a mild alkaline treatment during extraction from the seaweed, or agars which have been made low temperature soluble, e.g. as described in JP-A-58.193660. Such so called "low temperature soluble agars" (LTS agar) are commercially available and have the advantage that they may be completely dissolved in the aqueous phase at temperatures only slightly above the minimum mixing temperature e.g. at or above 45°C. Conventional agars, however, have to be heated in water to at least 80°C, preferably at least 90°C to obtain a clear solution. In that case the complete aqueous phase may be prepared at that high temperature, or alternatively a concentrated aqueous agar solution may be made at a high temperature which can then be diluted and mixed with the other ingredients of the aqueous phase at a lower temperature above the minimum mixing temperature.

Suitable guar gums and locust bean gums are commercially available from a variety of manufacturers. The guar gum may be mildly modified e.g. by enzymatical treatment. Instead of Locust bean gum another galactomannan gum may be used in which the galactose/mannose ratio is comparable to that in locust bean gum. Examples of such gums are tara gum and guar gum which is enzymatically treated to reduce the number of galactose side chains on the mannose polymer backbone to a galactose content comparable to that in locust bean gum, such as described in EP-A-255153. For the purposes of this invention such gums are within the scope of the term "locust bean gum".

The gelling agent mixtures used in the process according to the invention preferably comprise:
90-10% by weight of agar, more preferably 80-20%;
5-80% by weight of guar gum, more preferably 10-70%;
5-80% by weight of locust bean gum, preferably 10-70%.
The ratio between the amounts of guar and locust bean gum is preferably between 6:1 and 1:6, more preferably between 4:1 and 1:4.

The amount of gelling agent mixture which is used in a food product primarily depends on the type of food product, i.e. the amount of aqueous phase present, the consistency and viscosity

required, the influence of the other components on the viscosity, the temperature of storage and of consumption etc. Generally, not more than 5% by weight (based on the amount of water in the food product) of gelling agent mixture is normally used in a food product, preferably the amount is at or below 2% w/w. To obtain meaningful water structuring properties an amount of 5 at least 0.01% by weight, based on the amount of water, preferably at least 0.05% will normally be used, although lower amounts could be used if other components with water structuring properties are present as well.

The term "gelling agent mixture" refers to the fact that the three components are all added to and present in the aqueous phase. They need not actually be mixed together before being 10 added to the aqueous phase, but instead may be added separately.

The invention is illustrated by the non-limiting examples below:

Example 1

Two batches of ice cream were prepared according to the recipes below in which recipe I gives a standard ice cream containing gelatin and recipe II gives ice cream in which gelatin is 15 replaced by a gelling agent mixture according to the invention.

<u>Ingredients</u>	<u>Recipe</u>	<u>Recipe II</u>
	%	%
Butter oil	10.00	10.00
skimmed milk powder	10.00	10.00
20 Sugar	12.00	12.00
Corn sirup solids	4.00	4.00
Dextrose	2.00	2.00
Sherex IC9164*	0.35	0.35
Gelatin 130 BL/B	0.60	-
25 Gelling agent mixture**		0.135
Water	up to 100%	

* Emulsifier/stabiliser mixture for ice cream marketed by Quest International

** The gelling agent mixture according to the invention consisted of 60% LTS agar, 20% locust bean gum and 20% guar gum

Sherex IC9164 was premixed with 1/6 part of the sugar and hydrated into the water with vigorous agitation for 5 minutes. The mixtures were heated to 50°C and the other dry ingredients added, followed by the pre-melted butter oil. The mixtures were mixed with a high speed mixer for 1 minute, heated to 65°C and then homogenised at 180 and 50 bar. Thereafter 5 the mixes were pasteurized for 30 seconds at 82°C in a plate heat exchanger and cooled to 5°C.

After aging for 24 hours each ice cream mix was frozen and aerated in a continuous Technology MF50 ice cream freezer to an overrun of 100%.

Both ice cream batches had a smooth consistency and pleasant taste and melting properties in 10 the mouth.

Example 2

Two batches of chocolate mousse dessert were prepared according to the recipes below in which Recipe I represents a standard recipe containing gelatin and recipe II represents a recipe according to the invention.

15 <u>Ingredients</u>	Recipe I	Recipe II
	%	%
Skimmed milk powder	3.00	3.00
Corn syrup solids	2.00	2.00
Sugar	16.00	16.00
20 Cocoa	4.00	4.00
Chocolate	5.00	5.00
Admul GLP1146*	0.75	0.75
Gelatin 260 bloom	0.70	-
Gelling agent mixture**	-	0.135
25 Full fat milk	up to 100%	

* Glycerol lactopalmitate emulsifier marketed by Quest International

** The gelling agent mixture according to the invention consisted of 27% LTS agar, 18% locust bean gum and 55% guar gum

For the two batches the dry ingredients were mixed and added to the milk whilst stirring. The mixtures were heated to 70°C, homogenized at 150 bar and pasteurized at 85°C for 30 sec or UHT treated at 140°C for 3-5 sec. Thereafter the mixtures were cooled to 4-6°C and kept for 1 hour. They were then aerated in a Mandomix continuous aerator till an overrun of 100% and 5 filled aseptically into cups.

Both mousses had excellent flavour and mouthfeel and the firm and yet smooth consistency required for high quality chocolate mousse.

Example 3

Two batches of low fat spread were prepared according to the recipes below in which Recipe I 10 represents a standard recipe containing gelatin and recipe II represents a recipe according to the invention.

<u>Ingredients</u>	<u>Recipe I</u>	<u>Recipe II</u>
	<u>%</u>	<u>%</u>
<u>Fat phase:</u>		
15 Fat (animal or vegetable)	40.00	40.00
Hymono 8903*	0.30	0.30
Lecithin	0.05	0.05
Colour: Vegex Carotene (30%)**	0.0015	0.0015
<u>Aqueous phase:</u>		
20 Whey powder	0.30	0.30
Salt	0.30	0.30
Potassium sorbate	0.10	0.10
Gelatin 260 bloom	2.50	-
Gelling agent mixture***	-	0.60
25 Lactic acid		to pH 5.0
Water	up to 100%	

* Monoglyceride emulsifier marketed by Quest International

** A natural carotene food colourant marketed by Quest International (30% dispersion in vegetable oil)

*** The gelling agent mixture according to the invention consisted of 27% LTS agar, 18% locust bean gum and 55% guar gum

For the two batches the ingredients for the aqueous phase were dissolved in the water and pasteurized above 85°C

5 The fat phase ingredients were added to the fat at a temperature above their melting point to obtain a homogeneous solution.

The water phase and the fat phase were mixed to a o/w emulsion at above 45°C.

The emulsion was cooled and worked in a scraped surface heat exchanger as described in US 4,443,487.

10 Both spreads melted easily in the mouth and had excellent taste and mouth feel. They were stable when spread at 5°C and did not exhibit water separation.

CLAIMS

1. A process for preparing food products comprising a gelled aqueous phase, which process comprises the steps of:
 - i mixing at least part of the ingredients, including the water phase, with a gelling agent
 - 5 mixture comprising agar, guar gum and locust bean gum at a temperature above 40°C,
 - ii shearing the mixture at a temperature below 40°C.
2. A process according to claim 1 wherein step i is carried out at or above 45°C.
3. A process according to claims 1 or 2 wherein step ii is carried out at or below 35°C.
4. A process according to any one of claims 1-3 wherein the food products also
10 comprise a lipid phase.
5. A process according to claim 4 wherein the food product is a low fat spread, a mousse, or an ice cream.
6. A process according to claims 4 or 5 wherein the aqueous phase and the lipid phase are mixed above 40°C.
- 15 7. A process according to claims 4 or 5 wherein the aqueous phase and the lipid phase are mixed below 40°C.
8. A process according to any one of claims 1-7 wherein the gelling agent mixture comprises 90-10% by weight of agar, 5-80% by weight of guar gum and 5-80% by weight of locust bean gum.
- 20 9. A process according to claim 8 wherein the gelling agent mixture comprises 80-20% w/w of agar, 10-70% w/w of guar gum and 10-70% w/w of locust bean gum and the ratio between guar gum and locust bean gum is between 6:1 and 1:6.

10. A food product comprising a lipid phase and an aqueous phase which is gelled with a gelling agent mixture comprising agar, guar gum and optionally locust bean gum.
11. A food product according to claim 10 wherein the lipid phase comprises at least 0.1% by weight of the food product.
- 5 12. A food product according to claims 10 or 11 wherein the gelling agent mixture is present in an amount of between 5 and 0.01% calculated on the amount of water.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 98/00560

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A23L1/0532 A23L1/0526 A23P1/16 A23G9/02 A23D7/015

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23L A23P A23G A23D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 244 983 A (BAKER DONALD B) 13 January 1981 see column 4, line 24 - line 35 see examples ---	10-12
X	US 4 296 134 A (BOLDT WAYNE A) 20 October 1981 see column 4, line 17 - line 34 see column 8, line 33 - line 37 ---	10-12
X	US 5 232 733 A (RESMER PAUL) 3 August 1993 see the whole document ---	10-12
X A	GB 1 519 294 A (UNILEVER LTD) 26 July 1978 see the whole document ---	10-12 1-9
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

27 May 1998

Date of mailing of the international search report

10/06/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Vuillamy, V

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 98/00560

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>PATENT ABSTRACTS OF JAPAN vol. 015, no. 450 (C-0885), 15 November 1991 & JP 03 191759 A (INA SHOKUHIN KOGYO KK), 21 August 1991, see abstract</p> <p style="text-align: center;">---</p>	1-12
A	<p>PATENT ABSTRACTS OF JAPAN vol. 012, no. 209 (C-504), 15 June 1988 & JP 63 007757 A (NIPPON OIL & FATS CO LTD), 13 January 1988, see abstract</p> <p style="text-align: center;">---</p>	1-12
A	<p>DATABASE CHEMABS CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US AN 110:211316, XP002065988 see abstract & JP 01 039 956 A (SNOW BRAND MILK PRODUCTS CO.)</p> <p style="text-align: center;">---</p>	1-12
A	<p>DATABASE FSTA INTERNATIONAL FOOD INFORMATION SERVICE (IFIS), FRANKFURT/MAIN, DE AN 88-1-11-t0035, M.TAKO: XP002065989 see abstract & AGRICULTURAL AND BIOLOGICAL CHEMISTRY, vol. 52, no. 4, 1988, JP, pages 1071-1072,</p> <p style="text-align: center;">---</p>	1-12
A	<p>EP 0 350 419 A (EPISUCRES SA) 10 January 1990 see the whole document</p> <p style="text-align: center;">-----</p>	10-12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/00560

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4244983 A	13-01-1981	CA 1133752 A GB 2041208 A,B US 4379175 A	19-10-1982 10-09-1980 05-04-1983
US 4296134 A	20-10-1981	CA 1069755 A JP 1228224 C JP 51123866 A JP 58052629 B	15-01-1980 19-09-1984 28-10-1976 24-11-1983
US 5232733 A	03-08-1993	CA 2039166 A DK 419885 T WO 9103170 A EP 0419885 A ES 2055251 T JP 4501511 T	01-03-1991 14-06-1993 21-03-1991 03-04-1991 16-08-1994 19-03-1992
GB 1519294 A	26-07-1978	NONE	
EP 0350419 A	10-01-1990	FR 2634105 A	19-01-1990

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☒ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.